X

LIST OF PATENTS AND PUBLICANT'S INFORMATION DISCLESSORE STATEMENT

DAGGETT et al.

FILING DATE S ptember 29, 1997 GROUP Unassigned



U.S. PATENT DOCUMENTS

| EXAMINER NITIAL | | | D | OCUM | IENT I | NUMB | ER | | DATE NAME | | CL | CLASS | | | FILING DATE | |
|--------------------|----------|-----------------|---|------|--------|--------------|----|-----------------|------------|-----------------------------------|----------------------------|--------|-------------|---------------|----------------|--|
| | | | | | - | | | - | 1 | | | | <u> </u> | | | |
| | | | | | - | - | - | - | | | - | | | + | | |
| | <u> </u> | | | | F(| ORE | GN | PA ¹ | TENT DO | CUMENTS | | باد شد | | | | |
| | | DOCUMENT NUMBER | | | | | | | DATE | COUNTRY | CLASS | | SUB ASS | | | |
| | | | | | | | | | | | | | | | | |
| | | -+ | \dashv | _ | _ | | | | | | | - | | | | |
| أحصيا | | TUE | | | | | | | a Tiala D | | | | | | | |
| 2 | A | Ged | HER ART (Including Author, Title, Date, Pertinent Pages, Etc.) George et al., Current Methods in Sequence Comparison, Macromolecular Sequencing and Synthesis Selected Methgods and Applications, Alan R. Liss, Inc., pp. 127-149 (1988) | | | | | | | | | | | | | |
| 2 | - B | stru | Grenningloh et al., Alpha subunit variants of the human glycine receptor: primary structures, functional expression and chromosomal localization of the corresponding genes, The EMBO J. 9(3): 771-776 (1990) | | | | | | | | | | | | | |
| 2 | С | | | | | | | | | mosomal locali | | | | | ian | |
| 2 | D | | | | | eugr -364 | | | expression | of huyman GA | BA _A σ 1 | and A | 1 subi | ınits | , FEBS | |
| 2 | ε | | | | | | | | | al mapping, an atl. Acad. Sci. | | | | | | |
| | | | | | | ~ | | | | | | | | | | |
| | | | | | | | | | | | | | | - | | |
| | | | | | | | | | | | | | | _ | | |
| | , | | | | | | 1 | | | | 14 | - / | 4_ | 0 | ? | |
| XAMINER | Tr | | _ | (| 11 | | | | DATEC | DNSIDERED | | | 90 | | | |

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applut appl

APPLICANT'S INFORMATION DISCLOSURE STATEMENT

DAGGETT et el.

FILING DATE September 29, 1997 GROUP Unassign d

U.S. PATENT DOCUMENTS

| RENIMAXE LAITINI | | | DOCUM | | | IMENT NUMBER | | | | NAME | CLASS | SUB CLASS | FILING DATE |
|---------------------|---|---|-------|---|---|--------------|---|---|----------|------------------|-------|--------------|----------------|
| 7 | Α | 4 | 8 | 3 | 7 | 1 | 4 | 8 | 6/6/89 | Cregg | 435 | 172.3 | 10/30/84 |
| 92 | В | 4 | В | 5 | 5 | 2 | 3 | 1 | 8/8/89 | Stroman et el. | 435 | 68 | 9/25/85 |
| 2 | С | 4 | 8 | 8 | 2 | 2 | 7 | 9 | 11/21/89 | Cregg | 435 | 68 | 10/25/85 |
| 2 | D | 4 | 9 | 2 | 9 | 5 | 5 | 5 | 5/29/90 | Cregg et al. | 435 | 172.3 | 10/19/87 |
| ~ | E | 5 | 0 | 2 | 4 | 9 | 3 | 9 | 6/18/91 | Gorman | 435 | 69.1 | 9/25/87 |
| l. | F | 5 | 0 | 2 | 8 | 7 | 0 | 7 | 7/2/91 | Nichols et al. | 546 | 156 | 11/20/89 |
| 2 | G | 5 | 2 | 0 | 2 | 2 | 5 | 7 | 4/13/93 | Heinemann et el. | 435 | 252.3 | 6/21/91 |
| 2_ | н | 5 | 4 | 0 | 1 | 6 | 2 | 9 | 3/28/95 | Harpold et al. | 435 | 6 | 8/7/90 |
| ~ | , | 5 | 4 | 0 | 3 | 4 | 8 | 4 | 4/4/95 | Ladner et al. | 435 | 235.1 | 1/26/93 |
| 2 | J | 5 | 4 | 3 | 6 | 1 | 2 | 8 | 7/25/95 | Harpold et al. | 435 | 6 | 1/27/93 |
| | | | | | | | | | | | | | |

FOREIGN PATENT DOCUMENTS

| | | | D | DCUM | ENT ! | NUMB | ER | | DATE | COUNTRY | CLASS | SUB CLASS | , Tran | slation YES |
|-----|---|---|---|------|-------|------|----|---|----------|---------------|-------|--------------|----------|----------------|
| 2 | ĸ | 0 | 6 | 0 | 0 | 2 | 7 | 8 | 6/8/94 | EP A2 | - | _ | | |
| 2 | L | 0 | 6 | 0 | 6 | 7 | 3 | 4 | 7/20/94 | EP | | - | | |
| 9~ | М | 0 | 6 | 7 | 4 | 0 | 0 | 3 | 9/27/95 | ΕP | - | | | |
| مسه | N | 2 | 2 | 9 | , | 6 | 4 | 7 | 1/31/96 | GB | | - | | |
| 2 | 0 | 6 | 0 | , | 4 | 7 | 8 | 3 | 1/25/94 | JP | - | - | | |
| ~ | Ρ | 9 | 1 | 0 | 6 | 6 | 4 | 8 | 5/16/91 | PCT | - | - | | |
| | a | 9 | 2 | 2 | 3 | 7 | 6 | 9 | 11/12/92 | GB | - | _ | | |
| ~ | R | 9 | 3 | 0 | 7 | 0 | 2 | 6 | 4/2/93 | GB | - | - | | ` |
| 2 | S | 9 | 3 | 1 | 3 | 4 | 2 | 3 | 7/8/93 | PCT | - | - | | |
| | Т | 9 | 3 | 2 | 3 | 5 | 3 | 6 | 11/25/93 | PCT | - | - | • | |
| gn | U | 9 | 3 | 2 | 4 | 6 | 2 | 9 | 12/9/93 | PCT | _ | - | | |
| | | |) | | | | | | <u></u> | * | 1) - | 14. | ر د د | - |

EXAMINER TOKE U/- DATE CONSIDERED 4-9-9 \$

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw lin through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF PATENTS AND P. JCA NS OR APPLICANT'S INFORMATION DESCRIPTION OF THE STATEMENT

DAGGETT et al.

FILING DATE September 29, 1997 GROUP Unassigned

FOREIGN PATENT DOCUMENTS

| | | | D | OCUN | ENT P | JUMBI | | | DATE | COUNTRY | CLASS | SUB | Trans | slation |
|----------|----------|----------|--|----------|--------|-------|--------|----------|----------------------------|-----------------------------------|----------------|------------|----------|-------------|
| | | | _ | _ | | | | | | | ļ | CLASS | NO | YES |
| 1 | <u> </u> | • | 3 | 2 | 5 | 6 | 7 | 9 | 12/23/93 | PCT | | | • | |
| | W | 9 | 4 | l ° | 1 | ٥ | 9 | 4 | 1/20/94 | PCT | | | • | |
| | X | 9 | - | ۰ | 1 | 6 | 9 | 8 | 3/3/94 | PCT | - | | • | |
| | Y | 9 | 4 | ٥ | 8 | 4 | 2 | | 3/31/94 | PCT | - | | | |
| | Z | 9 | 4 | 1 | 1 | 5 | ٥ | 1 | 5/26/94 | PCT | | - | | |
| | AA | 9 | 5 | 2 | 6 | 4 | 0 | 1 | 10/5/95 | PCT | | - | • | |
| | | | | <u> </u> | | | | <u> </u> | | | | | | |
| | 0 | THE | RA | RT | (Incl | udin | g A | utho | r, Title, C | ate, Pertine | nt Page | s, Etc.) | | |
| 2 | АВ | Al | bbott | , NM | DA r | ecep | tor c | oned | l, Trends Pl | narmacol. Sci. | 12:449 (1 | 1991) | | , |
| | AC | AI | bbott | , NM | DA r | ecep | tor si | ubun | it cloned, 7 | rends Pharmac | ol. Sci. 1 | 2:334 (19 | 91) | |
| 2 | AD | Co | Abe et el., Molecular characterization of a novel metabotropic giutamate receptor mGluR5 coupled to inositol phosphate/Ca ²⁺ signal transduction, <i>J. Biol. Chem. 267</i> :13361-13368 (1992) | | | | | | | | | | | |
| 32 | AE | re | | ors in | | | | | | ction neurons a Disease, N. El | | | | 3-1298 |
| 2 | AF | | | | | | | | ial RNA spli -30 (1992) | icing alters the | surface o | harge on | the NN | IDA |
| 2 | AG | | | | | | - | | approaches 3-343 (1991 | for probing real) | ceptor str | ucture and | funct | ion, |
| 2 | AH | | rnard 992) | | ll the | real | NMC | A re | ceptor plea | se stand up? 7 | rends Pha | rmacol. S | Sci. 13: | 11-12 |
| a | Al | Ве | al, N | lecha | nism | s of | excit | otoxi | city in neur | ologic disease | s, FASEB | J. 6:3338 | -3344 | (1992) |
| 2 | AJ | | | | | | | | | of NMDA cur 1992) | rents: an i | important | link fo | LTP |
| ~ | AK | rat | induction, Trends Neurosci. 15:333-339 (1992) Black et al., N-methyl-D-aspartate- or glutamate-mediated toxicity in cultured rat cortical rat cortical neurons is antagonized by FPL 15896AR, J. Neurochem. 65:2170-2177 (1995) | | | | | | | | | | | |
| | | <i>[</i> | - | | | | | _ | | – – – – – | 11-1 | 14-0 | 3 | |
| EXAMINER | | 200 | ــــــــــــــــــــــــــــــــــــــ | | u | /_ | | | DATE C | ONSIDERED | 4- | 9 50 | <u> </u> | |

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw lin through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

APPLICANT'S INFORMATION DISCLOSURE STATEMENT

APPLICANT DAGGETT of al.

FILING DATE Sept mber 29, 1997 GROUP Unassigned

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

| | 0 | HER ART (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | | |
|----------|---------------|---|--|--|--|--|--|--|
| 2 | AL | Bottaro et al, Identification of the hepatocyte growth factor receptor as the c-met proto- oncogene product, Science 251:802-804 (1991) | | | | | | |
| 2 | АМ | Bradford, A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding, Anal. Biochem. 72:248 (1976) | | | | | | |
| 2 | AN | Bristow et al., The glycine/NMDA receptor antagonist R-(+)-HA-966, blocks activation of the mesolimbic departmentage system induced by phencyclidine and dizcilpine (MK-801) in rodents, Br. J. Pharmacol. 108:1156-1163 (1993) | | | | | | |
| 22 | AO | Choi, Calcium-mediated neurotoxicity: Relationship to specific channel types and role in ischemic damage, Trends Neurosci. 11(10):465469 (1988) | | | | | | |
| a | АР | Choi, Glutamate neurotoxicity and diseases of the nervous system, Neuron 1:623-634 (1988) | | | | | | |
| 2 | AQ | Ciba-Geigy Unveils Research Agreement with SIBIA of U.S., The Wall Street Journal (September 17, 1992) | | | | | | |
| 2 | AR | Coyle <i>et al.</i> , Oxidative stress, glutamate, and neurodegenerative disorders, <i>Science</i> 262:689-695 (1993) | | | | | | |
| e - | AS | Daggett et al., Cloning and functional characterization of three splice variants of the human NMDAR1 receptor, Biophys J., 36(2):447 (1994) | | | | | | |
| 9 | AT | Dascal, The use of Xenopus occytes for the study of ion channels, CRC Critical Reviews in Biochemistry 22(4):317-387 (1987) | | | | | | |
| سم | AU | Donnelly and Pallotta, Single-channel currents from diethylpyrocarbonate-modified NMDA receptors in cultured rat brain cortical neurons, J. Gen. Physol. 105:837-859 (1995) | | | | | | |
| 2 | AV | Durand et al., Cloning of an apparent splice variant of the rat N-methyl-D-aspartate receptor NMDAR1 with altered sensitivity to polyamines and activators of protein kinase C, Proc. Natl. Acad. Sci. USA 89:9359-9363 (1992) | | | | | | |
| 2 | AW | Egebjerg et al., Intron sequence directs RNA editing of the glutamate receptor subunit GluR2 coding sequence, <i>Proc. Natl. Acad. Sci. USA 91</i> :10270-10274 (1994) | | | | | | |
| 2 | AX | Felder et al., A transfected m1 muscarinic acetylcholine receptor stimulates adenylate cyclase via phosphatidylinisitol hydrolysis, J. Biol. Chem. 264:20356-20362 (1989) | | | | | | |
| 2 | AY | Fisher and Aronson, Characterization of the cDNA and genomic sequence of a G protein y subunit (y ₅), Mol. Cell. Bio. 12:1585 (1992) | | | | | | |
| a | AZ | Foldes et al., Cloning and sequence analysis of cDNAs encoding human hippocampus N-methyl-D-aspartate receptor subunits: Evidence for alternative splicing, Gene 131:293-298 (1993) | | | | | | |
| | - | 11 14.03 | | | | | | |
| EXAMINER | | DATE CONSIDERED 4-9-99 | | | | | | |
| | | | | | | | | |

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw lin thr ugh citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

APPLICANT'S INFORMATION STATEMENT

DAGGETT et al.

FILING DATE September 29, 1997 GROUP Unassigned

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

| | | THER ART (Including Author, Title, Date, Pertinent Pages, Etc.) |
|--|----|--|
| 2 | BA | Gautam et al., A G protein gamma subunit shares homology with ras proteins, Science 244:971 (1989) |
| 2 | ВВ | Gautam et al., G protein diversity is increased by associations with a variety of y subunits, Proc. Natl. Acad. Sci. USA 87:7973 (1990) |
| 8 | BC | Gereau and Conn, Multiple presynaptic metabotropic glutamata receptors modulate excitatory and inhibitory synaptic transmission in hippocampal area CA1, <i>J. Neurosci</i> 15(10):6879-6889 (1995) |
| 2 | BD | Greenamyre et al., Synaptic localization of striatal NMDA, quisqualate and kainate receptors, Neurosci. Lett. 101:133-137 (1989) |
| g2_ | BE | Grimwood et al., Interactions between the glutamate and glycine recognition sites of the N-methyl-D-aspartate receptor from rat brain, as revealed from radioligand binding studies, J. Neurochem. 60:1729-1738 (1993) |
| 2 | BF | Gubler et al., A simple and very efficient method for generating cDNA libraries, Gene 25:263-269 (1983) |
| a de la constantina della cons | BG | Gunasekar et al., NMDA receptor activation produces concurrent generation of nitric oxide and reactive oxygen species: Implication for cell death, J. Neurochem. 65:2016-2021 (1995) |
| سه | ВН | Gundersen et al., Glutamate and kainate receptors induced by rat brain messenger RNA in Xenopus occytes, Proc. R. Soc. London Ser. 221:127 (1984) |
| 2- | Ві | Hess et al., Cloning, functional expression, and pharmacological characterization of human NMDAR1/NMDAR2 heteromeric receptors, Biophys J., 36(2):446 (1994) (abstract and poster) |
| 2 | ವ | Hess et al., Biophysical properties of human NMDA receptors stably expressed in mammalian cells, Soc. Neurosci. Abstr. 21:1-3 (1995) |
| 2 | ВК | Hoffman, NMDA receptor cloned —— twice! Science 254:801-802 (1991) |
| 2 | BL | Hollman et al., Zinc potentiates agonist-induced currents at certain splice variants of the NMDA receptor, Neuron 10:943-954 (1993) |
| 2 | ВМ | Hollman et al., Cloned glutamate receptors, Annu. Rev. Neurosci. 17:31-108 (1994) |
| 2 | BN | Hurley et al., Isolation and characterization of a cDNA clone for the y subunit of bovine retinal transducin, <i>Proc. Natl. Acad. Sci. USA 81</i> :6948 (1984) |
| | ВО | Ishii et al., Molecular characterization of the family of the N-methyl-D-aspartate receptor subunits, J. Biol. Chem. 268(4):2836-2843 (1993) |
| | | 17-14-03 |
| EXAMINER | | JOL - UI DATE CONSIDERED 4-9-99 |

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

3

APPLICANT'S INFORMATION DISCOURSE STATEMENT

DAGGETT et al.
FILING DATE

September 29, 1997

GROUP Unassigned

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

| | 0 | THER ART (Including Author, Title, Date, Pertinent Pages, Etc.) |
|----------|-----|---|
| 2 | BP | Ito et al., Characterization of prostaglandin E ₂ -induced Ca ²⁺ mobilization in single bovine adrenal chromaffin cells by digital image microscopy, J. Neurochem. 56:531-540 (1991) |
| 2 | BQ | Jones et al., Characterization of the binding of radioligands to the N-methyl-D-aspartate, phencyclidine, and glycine receptors in buffy coat membranes, J. Pharmacol. Meth. 21:161 (1989) |
| 2 | BR | Kantak et al., Effects of N-methyl-D-aspartate antagonists in rats discriminating different doses of cocaine: Comparisons with direct and indirect dopamine agonists, J. Pharmacol. Exper. Therap. 274:657-665 (1995) |
| 2 | BS | Karp et al., Molecular cloning and chromosomal localization of the key subunit of the human N-methyl-D-aspartate receptor, J. Biol. Chem. 268:3728-3733 (1993) |
| 2 | ВТ | Kemp et al., Protein kinase recognition sequence motifs, Trends Biochem. Sci. 15:342-346 (1990) |
| 92 | 80 | Kishimoto et al. Studies on the phosphorylation of myelin basic protein by protein kinase C and adenosine 3':5'-monophosphate-dependent protein kinase, J. Biol. Chem. 260:12492-12499 (1985) |
| 2 | B∨ | Kisselev et al., Receptor-G protein coupling is established by a conformational switch in the By complex, Proc. Natl. Acad. Sci. USA 92:9102-9106 (1995) |
| 2 | BW | Kleuss et al., Selectivity in signal transduction determined by y subunits of heterotrimeric G proteins, Science 259:832 (1993) |
| 2 | ВХ | Köhr et al., NMDA receptor Channels: Subunit-specific potentiation by reducing agents, Neuron 12:1031-1040 (1994) |
| 92 | _BY | Kozak, Structural features in eukaryotic mRNAs that modulate the initiation of translation, J. Biol. Chem. 266:19867-19870 (1991) |
| 2 | BZ | Krieg and Melton, Functional messenger RNAs are produced by SP6 in vitro transcription of cloned cDNAs, Nucleic Acids Research 12:7057-7070 (1984) |
| 9- | CA | Kumar et al., Cloning of cDNA for the glutamate-binding subunit of an NMDA receptor complex, Nature 354:70-73 (1991) |
| 2 | СВ | Kutsuwada et al., Molecular diversity of the NMDA receptor channel, Nature 358:36-41 (1992) |
| gr | СС | Kyte and Doolittle, A simple method for displaying the hydropathic chacter of a protein, J. Mol. Biol. 157:105 (1982) |
| 2 | CD | Landwehrmeyer et al., NMDA receptor subunit mRNA expression by projection neurons and interneurons in rat striatum, J. Neurosci. 15(7): 5297-5307 (1995) |
| | | 11-14-03 |
| EXAMINER | | JOLL UM DATE CONSIDERED 4-9-99 |

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next

communication to applicant.

LIST OF PATENTS AND PUBLIC APPLICANT'S INFORMATION DISCLOSURE STATEMENT

APPLICANT
DAGGETT et al.

FILING DATE September 29, 1997 GROUP Unassign d

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

| | OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.) |
|----------|---|
| 200 | Le Bourdellès et al., Cloning, functional coexpression, and pharmacological characterisation of human cDNAs encoding NMDA receptor NR1 and NR2A subunits, J. Neurochem. 62:2091-2098 (1994) |
| y 0 | Linder and Gilman, G proteins, Scientific American 267:58-65 (1992) |
| 22-0 | Liu et al., Mutational analysis of the relative orientation of transmembrane helices I and VII in G protein-coupled receptors, J. Biol. Chem. 270(3):19532-19539 (1995) |
| g c | Lynch et al., Pharmacological chacterization of heterodimeric NMDA receptors of NR1a and 28 subunits: Differences with receptors formed from NR 1a and 2A, J. Neurochem. 64:1462-1468 (1995) |
| 20 | Masayuki, Human mRNA for key subunit of the N-methyl-D-aspartate receptor, DDBJ database (7/20/93) |
| 20 | Masu et al., Sequence and expression of a metabotropic glutamate receptor, Nature 349:760-765 (1991) |
| 2 0 | Matsui et al., Functional comparison of D-serine and glycine in rodents: the effect on cloned NMDA receptors and the extracellular concentration, J. Neurochemistry 65:454-458 (1995) |
| 2 0 | Mayer, NMDA receptors cloned at last, Nature 354:16-17 (1991) |
| ? c | Meguro et al., Functional characterization of a heteromeric NMDA receptor channel expressed from cloned cDNAs, <i>Nature 357</i> :70-74 (1992) |
| 2 0 | Meldrum, Possible therapeutic applications of antagonists of excitatory amino acid neurotransmitters, Clin. Sci. 68:113-122 (1985) |
| 2 0 | Meldrum et al., Excitatory amino acid neurotoxicity and neurodegenerative disease, Trends Pharmacol. Sci. 11:379-387 (1990) |
| 2 c | Minakami et al., The expression of two splice variants of metabotropic glutamate receptor subtype 5 in the rat brain and neuronal cells during development, J. Neurochem. 65:1536-1542 (1995) |
| 2 0 | Monaghan et al., The excitory amino acid receptors: Their classes, pharmacology, and distinct properties in the function of the central nervous system, Ann. Rev. Pharmacol. Toxicol. 29:365-402 (1980) |
| ganto | Monyer et al., Heteromeric NMDA receptors: Molecular and functional distinction of subtypes, Science 256:1217-1221 (1992) |
| 2 c | Monyer et al., Developmental and regional expression in the rat brain and functional properties of four NMDA receptors, Neuron 12:529-540 (1994) |
| | 11-14-07 |
| EXAMINER | JOLL UI DATE CONSIDERED 4-9-79 |
| FM | V . |

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Includ copy of this form with next communication to applicant.

LIST OF PATENTS AND PLACE ASSET APPLICANT'S INFORMATION CHECKE STATEMENT

DAGGETT et al.

FILING DATE Septemb r 29, 1997

GROUP Unassigned

OTHER ART (Including Author, Title, Date, Pertin nt Pages, Etc.)

| | U | THEN ANT (Including Author, Title, Date, Fertin Tit Fages, Etc.) |
|----------|-----|--|
| 2 | СТ | Moriyoshi et al., Molecular cloning and characterization of the rat NMDA receptor, Nature 354:31-37 (1991) |
| 2 | Cυ | Nakajima et al., Direct linkage of three tachykinin receptors to stimulation of both phosphatidylinositol hydrolysis and cyclic AMP cascades in transfected Chinese hamster ovary cells, J. Biol. Chem. 267:2437-2442 (1992) |
| 2 | CV | Nakanishi, Molecular diversity of glutamate receptors and implications for brain function, Science 258:597-602 (1992) |
| 2 | cw | Nicoletti et al., The activation of inositol phospholipid metabolism as a signal-transducing system for excitory amino acids in primary cultures of cerebellar granule cells, J. Neurosci. 6:1905 (1986) |
| | cx | SIBIA/Ciba-Geigy agreement, UCSD Connect (September 16, 1992) |
| 2 | CY | Ogita et al., A possible role of glutathione as an endogenous agonist at the N-methyl-D-aspartate recognition domain in rat brain, J. Neurochem. 64:1088-1096 (1995) |
| 8 | ÇZ | Other News to Note, BioWorld Today, 6 (April 15, 1994) |
| .2 | -DA | O'Connor et al., Tetanically induced LTP involves a similar increase in the AMPA and NMDA receptor components of the excitory postsynaptic current: Investigations of the involvement of mGlu receptors, J. Neurosci. 15/3/:2013-2020 (1995) |
| 2 | | Paoletti and Ascher, Mechanosensitivity of NMDA receptors in cultured mouse central neurons, Neuron 13:645-655 (1995) |
| 2 | DB | Pin et al., Alternative splicing generates metabotropic glutamate receptors inducing different patterns of calcium release in <i>Xenopus</i> oocytes, <i>Neurobiology 89</i> :10331-10335 (1992) |
| 2 | DC | Planells-Cases et al., Molecular cloning, functional expression, and pharmacological characterization of an N-methyl-D-aspartate receptor subunit from human brain, Proc. Natl. Acad. Sci. USA 90:5057-5061 (1993) |
| 2 | DD | Potter, Sibia to collaborate with Ciba-Geigy, BioWorld Today 3:1 (Sep. 17, 1992) |
| 2 | DE | Reeck et al., "Homology" in proteins and nucleic acids: a terminology muddl;e and a way out of it, Cell 50: 667 (1987) |
| 2 | DF | Rueter et al., Glutamate receptor RNA editing in vitro by enzymatic conversion of adenosine to inosine, Science 267:1491-1494 (1995) |
| 2 | DG | Sakurada et al., Alteration of Ca ²⁺ permeability and sensitivity to Mg ²⁺ and channel blockers by a single amino acid substitution in the N-methyl-D-aspartate, J. Biol. Chem. 268(1):410-415 (1993) |
| EXAMINER | Jo | DATE CONSIDERED 4-9-99 |

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

APPLICANT'S INFORMATION BESCLOSURES STATEMENT

MEFLICANI DAGGETT et el.

FILING DATE S ptember 29, 1997 GROUP Unassigned

OTHER ART (Including Author Title Date Pertinent Pages Ftc.)

| | 0. | THER ART (Including Author, Title, Date, Pertinent Pages, Etc.) |
|----------|----|---|
| Ju | DH | Sambrook et al., Molecular Cloning. A Laboratory Manual, 2d Ed., Cold Spring Harbor Laboratory Press (1989) |
| R | DI | Sanes et al., Use of a recombinant retrovirus to study post-implantation cell lineage in mouse embryos, EMBO J. 5(12):3133-3142 (1986) |
| 2 | רם | Sanner et al., NMDA receptor blockade rescues Clarke's and red nucleus neurons after spinal hemisection, J. Neurosci. 14(11):6472-6480 (1995) |
| 2 | DK | Schoepp et al., 1S,3R-ACPD-sensitive (metabotropic [³ H]glutamate receptor binding in membranes, Neurosci. Lett. 145:100 (1992) |
| 2 | DL | Sills et al., [3H]CGP 39653: a new N-methyl-D-aspartate antagonist radioligand with low nanomolar affinity in rat brain, Eur. J. Pharmacol. 192:19 (1991) |
| 2 | DM | Simon et al., Diversity of G proteins in signal transduction, Science 252:802 (1991) |
| 2 | DN | Singaram et al., Dopaminergic defect of enteric nervous system in Parkinson's disease patients with chronic constipation, Lancet 346:861-864 (1995) |
| 2 | DO | Sladeczek et al., Glutamate stimulates inositol phosphate formation in striatial neurones, Nature 317:717 (1985) |
| 2 | DP | Smirnova et al., Cloning a complementary DNA fragment of human brain kainate receptor, Dokl. Akad. Nauk SSSR 309(3):745-748 (1989) |
| 2 | DQ | Smirnova et al., Characterization of a presynaptic glutamate receptor, Science 262:430-433 (1993) |
| 2 | DR | Smirnova et al., Transsynaptic expression of a presynaptic glutamate receptor during hippocampal long-term potentiation, Science 262:433-436 (1993) |
| 2 | DS | Sommer et al., Glutamate receptor channels: novel properties and new clones, Trends Pharmacol. Sci 13:291 296 (1992) |
| Q | DT | Steiner et al., Radioimmunoassay for cyclic nucleotides, J. Biol. Chem. 247;1106-1113 (1972) |
| 2 | DU | Stillman et al., Replication and supercoiling of simian virus 40DNA in cell extracts from human cells, Mol. Cell. Biol. 5:2051-2060 (1985) |
| 2 | DV | Stühmer, Electrophysiological recording from Xenopus oocytes, Meth. Enzymol. 207:319-339 (1992) |
| 2 | DW | Stumpo, D. et al., Identification of c-fos sequences involved in induction by insulin and phorbol esters, J. Biol. Chem. 263(4):1611 (1988) |
| 2 | DX | Sugihara et al., Structures and properties of seven isoforms of the NMDA receptor generated by alternative splicing, Biochem. Biophys. Res. Commun. 185(3):826–832 (1992) |
| EXAMINER | 4 | DATE CONSIDERED 4-9-99 |

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

APPLICANT'S INFORMATION DIS OSURE STATEMENT

FILING DATE GROUP
Sept mber 29, 1997 Unassign d

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

| | | THER ART (Including Addition, Title, Date, Fertilient Fages, Etc.) |
|----------|----|---|
| 2 | DY | Sugiyama et al., A new type of glutamate receptor linked to inositol phospholipid metabolism, Nature 325:531 (1987) |
| 2 | DZ | Sullivan et al., Identifiction of two cysteine residues that are required for redox modulation of the NMDA subtype of glutamate receptor, Neuron 13:929-936 (1994) |
| 2 | EA | Takano et al., Chromosomal localization of the £1, £3 and \$1 subunit genes of the human NMDA receptor channel, Biochem. Biophys. Res. Commun. 197(2):922-926 (1993) |
| 2 | EB | Tamir et al., G-protein By forms: Identity of B and diversity of y subunits, Biochemistry 30:3929 (1991) |
| 2 | EC | Tanabe et al., A family of metabotropic glutamate receptors, Neuron 8:169-179 (1992) |
| 2 | ED | Tingley et al., Regulation of NMDA receptor phosphorylation by alternative splicing of the C-terminal domain, Nature 364:70-73 (1993) |
| 2 | EE | Ulas et al., Selective increase of NMDA-sensitive glutamate binding in the striatum of Parkinson's disease, Alzheimer's disease, and mixed Parkinson's disease/ Alzheimer's disease patients: An autoradiographic study, J. Neurosci. 14(11):6317-6324 (1994) |
| - W | EF | Urlaub et al., Effect of gamma rays at the dihydrofolate reductase locus: Deletions and Inversions, Somatic Cell and Mol. Genetics 12(6):555-566 (1986) |
| 1 | EG | Varney et al., Stable expression and characterization of recombinant human dimeric NMDA receptor subtypes 1A/2A and 1A/2B in mammalian cells, Soc. Neurosci. Abstr. (1995) |
| 2 | EH | Vomov et al., Enhancement of NMDA receptor-mediated neurotoxicity in the hippocampal slice by depolarization and ischemia, <i>Brain Res.</i> 555:99-106 (1991) |
| 2 | EI | Waechter and Baserga, Effect of methylation on expression of microinjected genes, <i>Proc. Natl. Acad. Sci. USA</i> 79:1106-1110 (1982) |
| L | ΕΊ | Wafford et al., Preferential co-assembly of recombinant NMDA receptors composed of three different subunits, NeuroReport 4(12):1347-1349 (1993) |
| 2 | EK | Wahlestedt et al., Antisense oligodeoxynucleotides to NMDA-R1 receptor channel protect cortical neurons from excitotoxicity and reduce focal ischaemic infarctions, <i>Nature</i> 363:260-263 (1993) |
| 2 | EL | Wenzel et al., Distribution of NMDA receptor subunit proteins NR2A, 2B, 2C, and 2D in rat brain, NeuroReport 7:45-48 (1995) |
| 92 | EM | Wigler et al., DNA-mediated transfer of the adenine phosphoribosyltransferase locus into mammalian cells, <i>Proc. Natl. Acad. Sci. USA 76</i> :1373-1376 (1979) |
| 2 | EN | Wong et al., The anticonvulsant MK-801 is a potent N-methyl-D-aspartate antagonist, Proc. Natl. Acad. Sci. USA 83:7104 (1986) |
| EXAMINER | T | DATE CONSIDERED 499 |

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

APPLICANT'S INFORMATION DISCLESSORE **STATEMENT**

DAGGETT et al.

FILING DATE September 29, 1997 GROUP Unassigned

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

| | | THER ART (Including Author, Title, Date, Pertinent Pages, Etc.) |
|---------|----|--|
| 2 | EO | Yakel et al., Identification of a Ca2+/calmodulin protein kinase II regulatory phosphorylation site in N-methyl-D-aspartate glutamate receptors, <i>Proc. Natl. Acad. Sci. USA</i> 92:1376-1380 (1995) |
| 2 | EP | Yamazaki, M. et al., Cloning, expression and modulation of a mouse NMDA receptor subunit FEBS Letters 300(1):39 (1992) |
| 92 | EQ | Young et al., NMDA receptor losses in putamen from patients with Huntington's Disease, Science 241:981-983 (1988) |
| 2 | ER | Younkin et al., Inducible expression of neuronal glutamate receptor channels in the NT2 human cell line, Proc. Natl. Acad. Sci. USA 90:2174-2178 (1993) |
| 2 | ES | Zeevalk et al., Chemically induced hypoglycemia and anoxia: Relationship to glutamate receptor-mediated toxicity in retina, J. Pharmacol. Exp. Thera. 253(3):1285-1292 (1990) |
| 2 | ET | Zeevalk et al., Mechanisms underlying initiation of excitotoxicity associated with metabolic inhibition, J. Pharmacol. Exp. Thera. 257(2):870-878 (1991) |
| | Eυ | Zhang et al., Spermine potentiation of recombinant N-methyl-D-aspartate receptors is affected by subunit composition, <i>Proc. Natl. Acad. Sci. USA 91</i> :10883-10887 (1994) |
| 2 | EV | Zipser et al., Mapping function domains in the promoter region of the herpes thymidine kinase gene, <i>Proc. Natl. Acad. Sci. USA 78(10)</i> :6276-6280 (1981) |
| | | · |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | 11-14-03 TOL Cen DATE CONSIDERED 4-9-99 |
| XAMINER | 6 | DATE CONSIDERED 4-9-99 |

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.